


# Advantages of HD-TVI



## Higher resolutions

- High resolution
- Clearer images



## Progressive Scan

- No tearing on moving images (a possibility with interlaced images)



## Can use existing coax infrastructure

- Easy to install
- Plug and play



## Affordable

- Easy to install
- Rapid deployment



# HD-TVI static cameras

	Box	Mini Dome	Wedge	Bullet	Turret
					
<b>Max. resolution</b>	1080p	720P 1080P 5 MPX	1080p	720P 1080P 5 MPX	5 MPX
<b>Max. frame Rate @ 1080p</b>	25 fps	25 fps	25 fps	25 fps	25 fps
<b>Dynamic Range</b>	≥120 dB	≥130 dB	≥120 dB	≥130 dB	≥130 dB
<b>Low Light Sensitivity</b>	0.01 Lux	0.003 Lux	0.005 Lux	0.003 Lux	0.003 Lux
<b>Lens Options</b>	C/CS mount	2.8mm 2.7-13.5mm (motorized)	2.8mm	3.6mm 2.7-13.5mm (motorized)	2.8mm 2.7-13.5mm (motorized)
<b>TruVision coax control</b>	✓	✓	✓	✓	✓
<b>IR illumination</b>	N/A	30m/60m	10m	30m/80m	60m
<b>Rating</b>	(housing)	IP67 /IK10	IP67	IP67	IP67

# HD-TVI PTZ Overview

## Key features

- 1080p HD or 960H Analog Output, selectable
- 32X Optical Zoom, 16X Digital
- EIS (Electronic Image Stabilization)
- True D/N, WDR
- IR Range 150 m (TVP-6103 only)
- Motion Detection, Privacy Mask (24 zones)
- 256 Presets; 10 shadow tour, up to 32 presets per shadow tour
- Supports Interlogix RS485 protocol, Pelco-P, Pelco-D, RS422 Digiplex



# Full-time color cameras

## Key features

- 2 MPX (1080p)
- Bullet & turret form factors
- 3.6mm lens
- Ultra-low light (color: 0.0005 Lux)
- White LED illumination



\*simulated images

